



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.


If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor

**T 10 N**

**R 2 W**





Township No. 1 North of the Base Line, Range No. 11 West of the 2d Meridian. Surveyed by Wm. Harris 1816  
Tho. Brown, 1819

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35-36	Land hilly, Beech, Sugar, Poplar, Ash good farming land	33-34	Land rolling, Beech, Sugar, Oak, Ash good farming land	31-32	Land hilly, Beech, Sugar, Poplar, Ash good farming land
25-36	ditto	27-34	ditto	29-32	Land rolling, Beech, Sugar, Poplar, good farming land
25-36	Land hilly, Oak, Sugar	27-34	Land rolling, Beech, Sugar & Poplar, middling good farming land	29-32	ditto
24-25	Low wet Bottom, Maple, Beech, Gum	22-27	ditto	20-24	ditto
23-24	ditto	21-22	Land rolling, rich Soil, Oak, Ash, Locust, Beech, Poplar	19-20	ditto
13-24	Land rich, Timber, Oak & Beech	15-22	ditto	17-20	Land rather broken, Timber same, middling good farming
13-14	First & Middle hilly, middling farming land, low Bottom, rich Soil	15-16	Land rolling, middling farming land, Oak, Ash, Sugar, Poplar	17-18	Land broken, Timber same, good Soil
12-13	Land hilly, middling farming land, Oak, Ash, Beech, Sugar, Walnut	10-15	Bottom light rich Soil, Oak, Ash, Beech, Walnut	8-14	Land broken with oak holes, Timber same
11-12	ditto	9-10	Land hilly, good Soil, Oak, Ash, Beech, Poplar, Hickory, Walnut	5-8	Land broken and hilly, middling farming land
1-12	ditto	5-10	Land hilly, Beech, Sugar, Poplar, middling good farming land	5-6	ditto
1-12	ditto	3-4	ditto	6-7	Land rolling, middling good for farming, Beech, Sugar, Poplar
34-35	Land hilly, rich Soil, Oak, Ash, Hickory, Locust, Beech, Sugar	32-33	ditto	7-18	Land rolling, Beech, Sugar, Poplar, Oak, good farming land
26-35	ditto	28-33	ditto	18-19	Land rolling, Beech, Sugar, Poplar, Oak, good farming land
26-27	Land hilly, middling good farming land, Oak, Beech, Hickory, Maple, Birch	21-28	ditto	19-20	Land rich land
25-26	Land hilly, poor Soil, Oak, Beech, Hickory	20-21	Land rolling, rich Soil, Oak, Ash, Hickory, Beech, Walnut, Locust, Sugar	31-32	Land rich land
23-23	ditto	16-21	Land some Timber, Walnut, Oak, Ash, Locust, Beech, Poplar, Sugar		
14-23	Low wet Bottom, Timber, Oak, Ash, Locust, Beech, Sugar	16-17	Land broken, Hickory		
14-15	Rich Bottom, Oak, Ash, Beech, Walnut	9-16	Land hilly, some poor Beech bottom		
11-14	Land rolling, rich Soil, Oak, Beech, Walnut, Poplar, Sugar	8-9	Land hilly, rich & salt bottom, middling good farming land		
10-11	ditto	8-9	Most good farming land East of this		
8-11	ditto	8-5	Good farming land		



Township No. 11. North of Range No. 2 West 2nd Mer. Ind.

South Boundary.

B. 141.

- East on a Ranam line between T. 9 N. R. 2 W.  
5 miles 873 ch. Still 100 miles North of the first cor.  
of T. 9 N. R. 2 W. Corrupted & marked the line
- Met On the South Boundary of sec. 36. T. 10 N. R. 2 W.  
7.50. Log Brook. 15 miles out, corner N.E.  
40.00 Set a 7th cu post from which  
Ash 20 in dia. here. S 77 E. 2 1/2 lbs dist; 10,  
Buck 14 1/2 " " N 10 E. 4 " "  
80.00 Set a post for the corner of sec. 35 T. 10 N. R. 2 W. from which  
Buck 30 in dia. here. N 55 W. 14 lbs dist; 10,  
Ash 25 5 " " S 85 E 8 " "  
Good land Timber Buck, Ash Walnut, &c.
- Met On the South Boundary of sec. 35 T. 10 N. R. 2 W.  
40.00 Set a 7th cu post from which  
Buck 16 in dia. here. N 60 E. 2 1/2 lbs dist; 10,  
Sugar 6 " " " S 20 W. 36 " "  
80.00 Set a post for the corner of sec. 34 T. 10 N. R. 2 W. from which  
Sugar 12 in dia. here. S 70 E. 3 1/2 lbs dist; 10,  
Buck 16 " " " N 48 W. 34 " "  
Good land and good Timber Buck, Sugar,
- Met On the South Boundary of sec. 34 T. 10 N. R. 2 W.  
40.00 Set a 7th cu post from which  
Buck 11 in dia. here. N 53 E. 16 lbs dist; 10,  
Do 12 1/2 " " " S 21 E. 18 " "  
50.00 To a corner 75 lbs side corner N.W.  
80.00 Set a post for the corner of sec. 33 T. 10 N. R. 2 W. from which  
Sugar 4 in dia. here. N 49 W. 10 lbs dist; 10,  
Do 5 " " " S 41 W. 14 " "  
Good land and vit. Timber Sugar & Walnut &c.







North	On the East Boundary of Sec. 13 T. 10 N. R. 2 W.
20.51	Set a Creek 45 links wide, Sec. 13 W.
37.60	Set out the N Boundary of Stanislaus Purchase & set apart for the cor of sec. 13 & 18 T. 10 N. R. 2 W. from white, Buck 13 in dist. bears. N 39 E 10 lbs dist and a Do. 16 " " " S 74 W. 29 " "
North	On the East Boundary of sec. 13 T. 10 N. R. 2 W.
2.40	Set the 1/2 apart from white, W Oak 14 in dist. bears. S 39 W 2 lbs dist, & Buck 8 " " " N 28 E. 30 " "
42.40	Set apart for the cor of sec. 12 W from white, Lycamore 18 in dist. bears. S 10 E. 22 lbs dist, & Sugar. 10 " " " N 84 W 30 " "
	Land Hilby Smith Buck Sugar, Oak, Hick) mud clay good for farming.
North	On the East Boundary of sec. 12 T. 10 N. R. 2 W.
40.00	Set a 1/2 apart from white, Buck. 18 in dist. bears. N 4 E. 17 lbs dist & a Do. 24 " " " S 87 W 33 " "
80.00	Set apart for the cor of sec. 12 from white, Buck 12 in dist. bears. N 48 W. 27 lbs dist, & a Do. 5 " " " N 4 W. 20 " "
	Land & timber same.
North	On the East Boundary of sec. 1 T. 10 N. R. 2 W.
22.00	Set small Brook.
40.00	Set a 1/2 apart from white, Buck 9 in dist. bears. S 72 E. 26 lbs dist, & a Do. 9 " " " N 79 W 50 " "
72.00	Set a Brook 20 links wide, Sec. 1 W.
77.50	Set out the Random Line.
80.00	Set a trap post for the cor of Sec. 10 T. 10 N. R. 1 W.

North Boundary	
West	Quak Random line On the South B'd of sec. 36. T. 11. N. R. 2 W.
3.00	To a rock 30 links N.W. corner N.W.
22.50	" " " " " " " " " " " "
40.00	Set a temporary post for the corner.
80.00	Set a temporary post for the corner of sec. 35 & 36. Sound middling good for farming. Timber same.
West	Quak Random line On the South Boundary of sec. 35. T. 11. N. R. 2 W.
40.00	Set a temporary post for the corner.
80.00	Set a temporary post for the corner of sec. 34 & 35. Sound rolling land good for farming. Timber Buck, Sugar, Poplar, Walnut, ash &c.
Saturday May 21. 1819.	
West	Quak Random line On the South Boundary of sec. 34. T. 11. N. R. 2 W.
8.00	To a Brook 30 links N.W. corner N.W.
40.00	Set a temporary post for the corner.
70.00	To a Brook. 8 links N.W. corner N.W.
49.00	" " " " " " " " " " " "
80.00	Set a post temporary for the corner of sec. 33 & 34. Sound East & some ash & oak, West & rather Broken. Timber same rich soil.
West	Quak Random line On the South Boundary of sec. 33. T. 11. N. R. 2 W.
40.00	Set a temporary post for the corner.
47.61	Sell 1185 lbs. South of the old lot. on the B'd line between T. 11. N. R. 2 W. Sound similar East part rather broken.



## T. N. 10 N. R. 27. 2nd Mer. Ind.

- East On a line line On the South Boundary of sec. 33.  
T. 11. N. R. 27. N. 50° 7'
- 2.00 To spring, Brook, N.E.
- 7.61 Set a post on the line line from which,  
Bent 18 in dist. bears N 87° 38' the dist. is  
10. 18 " " 924 N. 26 " "
- 17.00 To a Brook 10 miles, sec. N.
- 47.61 Set the temp. post on the line line from which,  
Bent 6 in dist. bears N 65° 19' the dist. is,  
10. 10 " " N 48° 29 " "

- East On the line line between sec. 34 & 35 T. 10 N. R. 27
- " " " " On the South Boundary of sec. 34  
T. 11. N. R. 27
- 40.00 Set a post from which, line line  
Bent 27 in dist. bears N 36° 11' 33' the dist. is,  
Sugar. 10 " " N 31° E. 27 " "
- 80.00 Set a post for the cor. of sec. 34 & 35 from which  
Bent 30 in dist. bears N 74° 11' 16' the dist. is,  
Poplar 36 " " S 85° E. 29 " "

- East On a line line On the South Boundary of sec. 35.  
T. 11. N. R. 27.
- 40.00 Set a temp. post on the line line from which,  
Bent 12 in dist. bears S 32° E. 21' the dist. is,  
10. 8 " " N 70° 11' 18 " "
- 80.00 Set the temp. post at the line line for the cor. of sec.  
35 & 36 from which,  
Bent 14 in dist. bears N 39° 28' the dist. is,  
10. 10 " " S 32° E. 31 " "

- East On the line line On the South Boundary of sec. 36  
T. 11. N. R. 27.

## T. N. 10 N. R. 27. 2nd Mer. Ind.

- 40.00 Set a temp. post on the line line from which,  
18 in dist. bears N 85° 19' the dist. is,  
Hick 9 " " S 69° E. 27 " "
- 80.00 Subdivide the Range line 489 miles North of the post cor.  
of sec. 16, 31 & 36. temp. post, T. 10 N. R. 27. & also  
post for the cor. of T. 10 N. R. 1 & 27. from which,  
Bent 12 in dist. bears S 76° E. 35' the dist. is,  
10. 12 " " S 69° 11' 55 " "
- Surveyed by  
William Harris D.S.

- East On the South Boundary of sec. 31. T. 11. N. R. 27
- 40.00 Set a post from which,  
Bent 20 in dist. bears S 62° E. 21' the dist. is,  
Hackberry. 14 " " N 41° 11' 107 " "
- 80.00 Set a post for the cor. of sec. 31 & 33 from which,  
Sugar. 12 in dist. bears S 62° E. 19' the dist. is,  
Walnut. 16 " " N 69° 11' 27 " "
- Found river bottom.

- East On the South Boundary of sec. 32. T. 11. N. R. 27.
- 40.00 Set a post from which,  
Hackberry. 14 in dist. bears S 61° 11' 17' the dist. is,  
Oak. 6 " " S 49° E. 41 " "
- 49.54 Set a post on the Right Bank of N. River  
The River was high and we ran no further.  
Surveyed by J. Holmes  
Dep. Supt.

- East On the South Boundary of sec. 32 T. 11. N. R. 27.
- 40.00 To old 74 sec. post.
- 49.54 To the Right Bank of N. River, N. by compass 18  
in dist. stands for cor.
- 80.00 Set a post for the cor. of sec. 32 & 33.







T. N. 10 N R. N. 2 W 2<sup>nd</sup> 7<sup>th</sup> Sec. Ind.

Land good. Timber Beech. Lc.

North On the East Boundary of Sec. 1. T. 10. N. R. 2 W. 2<sup>nd</sup> 7<sup>th</sup> Sec. Ind.  
 10.00 To a Buck 14 in diam. in the line  
 40.00 Set a post for the cen. of 7<sup>th</sup> sec from which  
 Sugar 50 in diam. bears N 47 W 36 lbs ash; 12  
 Hackberry. 14 " " " S 47 E 20 " "  
 50.00 To the Left Bank of White River. 500 lbs max. Co. N  
 80.00 Set a post for the cen. of S. 10 N. R. 2 W 2<sup>nd</sup> 7<sup>th</sup> Sec. Ind.  
 which, Hackberry 12 in diam. bears N 73 W 9 lbs ash;  
 8 " 10 " 18 " " " S 23 W 8 " "  
 Land and timber same as last mt.  
 Surveyed by  
 James Holmes D.S.

## Sub divisions.

North Between Secs 35 & 36. T. 10 N. R. 2 W  
 40.00 Set a post from which  
 Sugar 9 in diam. bears N 19 W. — lbs ash; 10  
 Buck. 9 " " " S 45 W 30 " "  
 80.00 Set a post for the cen. of sec. 25, 26, 35 & 36 from which  
 Buck 10 in diam. bears. S 48 W. 29 lbs ash; 10  
 Blue ash. 10 " " " N 18 E 23 " "  
 Land high & hilly & good for farming; Timber  
 Buck, Sugar, Poplar, &c.  
 East On a Run arm line between Secs 25 & 36 T. 10 N. R. 2 W  
 20.00 To a Brook 8 lbs max, leoma N.  
 40.00 Set a post for report.  
 80.12 Intersect the N 18 line on East River at 50 miles N.  
 of the post cen of sec. 25 & 36. Land the same.  
 West On the Line line between Secs 25 & 36. T. 10 N. R. 2 W

T. N. 10 N R. N. 2 W 2<sup>nd</sup> 7<sup>th</sup> Sec. Ind.

40.00 Set the temp. 7<sup>th</sup> sec report from which a. (7<sup>th</sup> sec)  
 Buck 6 in diam. bears. N 4 E 11 lbs ash; 10  
 N Ash. 18 " " " S 26 E 23 " "  
 80.12 To the post cen of sec. 25, 26, 35 & 36.

North Between Secs 25 & 36. T. 10 N. R. 2 W  
 40.00 Set a post from which  
 Sugar 12 in diam. bears. S 55 E 7 lbs ash; 10  
 Buck 12 " " " S 67 W 11 " "  
 80.00 Set a post for the cen. of sec. 23, 24, 25 & 26 from which  
 N 11 almost 48 in diam. bears. S 7 E 70 lbs ash; 10  
 N 11 east. 18 " " " N 74 E 59 " "  
 Land & timber same as last mt.

East On a Run arm line between Secs 24 & 25 T. 10 N. R. 2 W  
 15.00 To a Brook 10 lbs max, leoma N.  
 40.00 Set a post for report  
 80.26 Intersect the N 18 line on East River at 40 miles  
 N of the post cen of sec. 24 & 25,  
 Land on bottom Timber Buck & maple. Same

West On the Line line between Secs 24 & 25 T. 10 N. R. 2 W  
 40.73 Set the temp. 7<sup>th</sup> sec report at the ar. ash on the line  
 from which, Buck. 11 in diam. bears. N 50 W 11 lbs ash;  
 10 " 10 " 8 " " " S 96 E 10 " "  
 80.26 To the post cen of sec. 23, 24, 25 & 26.

North Between Secs 23 & 24. T. 10 N. R. 2 W  
 5.00 To a Brook 30 lbs max, Co. E.  
 23.50 To a Brook 150 lbs max, leoma N.  
 40.00 Set a post from which  
 Maple 3 in diam. bears S 35 W 8 lbs ash; 10  
 Lc 5 " " " S 85 E 4 " "



T. N. 10. S. R. 2. W. 2<sup>nd</sup> Mer. Ind.

8000	Set a post for the cor of sec. 13 14 23 & 24 from which Buck 5 in diam. bears - 42 E. 42 W. dist. 10, Do. 12, " " " N 21/2 W. 22, " Sands low mt bottom. Timber Buck Maple & Gum
East	On a Ran arm line between Sec. 13 & 24 T. 10. S. R. 2. W.
4000	Set a temporary 7/8 supst.
49.00	To a small Locust 45 W. mds, Sec. 21 W.
79.80	Set a post for the cor of 1/4 Sec. 21 W. 2 links North of the post cor of Sec. 13 & 24. Sands of a good soil. Timber Oak Buck, &c.
West	On the true line between Sec. 13 & 24 T. 10. S. R. 2. W.
3990	Set the temporary 7/8 supst at the ar east on the true line from which, 13 Oak 36 in diam. bears S 60 W. 2 W. dist. made a Buck 6 " " " N 62 E. 21 " "
49.80	To the post cor of sec. 13 14 23 & 24
South	On a Ran arm line between Sec. 13 & 24 T. 10. S. R. 2. W.
8.00	Set a post 20 links mds, Sec. 11.
40.00	Set a temporary 7/8 supst.
80.35	Set a post for the cor of 1/4 Sec. 61 W. East of the post cor of Sec. 13 14 23 & 24 Sands 10 1/2 mds Hilby & Muddling good for farming last 1/2 mile bottom of a rich soil
North	On the true line between Sec. 13 & 24 T. 10. S. R. 2. W.
40.77	Set the temporary 7/8 supst at the ar east on the true line from which, 13 Oak 36 in diam. bears North 14 W. dist. made a Buck. 16 " " " - 47 E. 14 " "
80.35	Set a post cor of Sec. 11. 12. 13 & 14
East	Between Sec. 12 & 13 T. 10. S. R. 2. W.

T. N. 10. S. R. 2. W. 2<sup>nd</sup> Mer. Ind.

20 59	Intersect the Boundary line and set a post from which a Buck 16 in diam. bears West 13 1/4 links dist. &c Do. 15 " " " S 80 E. 10. " " Land same as last mile.
East	Between Sec. 12 & 13 T. 10. S. R. 2. W. Originally surveyed to the N.E. Boundary of Harrison's Purchase
23. 58	To a Sugar 17 in diam. in the line
40. 01	Set a post for the cor of 1/4 Sec. from which a Sycamore 3 in diam. bears N 46 E. 19 links dist. &c Buck. 15. " " " S 4 E. 13. " "
62. 50	To a W. Oak 30 in diam. in the line
79. 86	Intersect the East Boundary 9 1/4 links North of the post cor of Sec. 12 & 13. Then N. S. R. 3. W. Set a post for the cor of Sec. 12 & 13. from which a Hickory 14 in diam. bears N 36 E. 10 links dist. and a Locust 18. " " " S 17 W. 9 " " Land broken & 3 <sup>rd</sup> rate. Timber W. Oak. B. Oak Buck. Hickory. Sycamore Ash. L. W. g. Spice Briers & Sycamore.
North	Between Sec. 11 & 12 T. 10. S. R. 2. W.
14. 70	Intersect the Boundary line and set a post from which a Buck 30 in diam. bears N 55 W. 37 links dist. and a Do. 16. " " " S 71 E. 32
North	Between Sec. 11 & 12 T. 10. S. R. 2. W.
14. 70	Original surveys to the N.E. Boundary of Harrison's Purchase line extended.
40.00	Set a post for the cor of 1/4 Sec. from which a Poplar 32 in diam. bears N 57 W. 9 links dist. &c Buck. 17. " " " S 75 E. 29. " "
60 88	To a Buck 22 in diam. in the line
80.01	Set a post for the cor of Sec. 1. 2. 11. & 12. from which a



T. N. 10. N. R. N. 2. M. 2<sup>nd</sup> Mer. Ind.

Buck 14 in diam. bears N. 20. W. 25. links dist. La  
 Sh. 18. " " " S. 79. E. 13. " "  
 Land broken & 3<sup>rd</sup> rate. Timber W. Oak. B. Oak.  
 Buck, Hickory. Ash. Le. U. g. Spice. Sapapara. Ash. Le.

East Between Sec. 1. & 2. T. N. 10. N. R. 2. M.  
 22. 80 To a Hickory 18. in diam. in the line  
 41. 10 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Dogwood 8. in diam. bears S. 40. E. 21. links dist. La  
 Buck 5. " " " N. 21. W. 18. " "  
 60. 38 To a Buck 16. in diam. in the line  
 78. 60 Intersect the East Boundary 132 links N. of the post  
 cor. of Sec. cor. of Sec. 6. & 7. T. 10. N. R. 2. M. Set a post  
 for the cor. of Sec. 1. & 2. from which a  
 Buck 18. in diam. bears S. 55. E. 11. links dist. La  
 Sh. 22. " " " N. 47. W. 27. " "  
 Land broken & 2<sup>nd</sup> rate. Timber Poplar. Sugar  
 Buck. W. Oak. U. g. Spice. Ash. Le.

North Between Sec. 1. & 2. T. 10. N. R. 2. M.  
 25. 72 To a Buck 18. in diam. in the line  
 40. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Buck 18. in diam. bears N. 35. E. 5. links dist. La  
 Sh. 12. " " " S. 83. W. 28. " "  
 61. 74 To a W. Oak 32. in diam. in the line  
 80. 00 Intersect the North Boundary 154 links East of  
 the post cor. of Sec. 35. & 36. T. 11. N. R. 2. M. Set a  
 post for the cor. of Sec. 1. & 2. from which an  
 Ash 32. in diam. bears N. 49. E. 27. links dist. La  
 Sh. 32. " " " S. 66. W. 7. " "  
 Land broken & 2<sup>nd</sup> rate. Timber Ash. Poplar.  
 Buck. Sugar. W. Oak. Le. Undergrowth Spice. Ash. Le.  
 Nov. 28<sup>th</sup>. 18. 19.

T. N. 10. N. R. N. 2. M. 2<sup>nd</sup> Mer. Ind.

South On a Random line between Sec. 34. & 35. T. 10. N. R. 2. M.  
 40. 00 Set a temp. post for the cor. of  $\frac{1}{4}$  Sec.  
 65. 50 To a Buck 20. links wide. Course N.  
 80. 10 Intersect the E. & W. line 10. links N. of the post cor.  
 of Sec. Land same as last mile

North On the True line between Sec. 34. & 35. T. 10. N. R. 2. M.  
 40. 05 Set the temp. post for the cor. of  $\frac{1}{4}$  Sec. at the aver. dist.  
 on the true line from which a  
 Buck 8. in diam. bears S. 54. E. 7. links dist. La  
 Sugar 8. " " " N. 25. W. 23. " "  
 80. 10 To the post cor. of Sec. 26. 27. 34. & 35.

West Between Sec. 26. & 35. T. 10. N. R. 2. M. Oct. 3<sup>rd</sup>. 1815  
 40. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which an  
 Elm 9. in diam. bears N. 30. E. 6. links dist. La  
 Sugar 14. " " " S. 66. W. 23. " "  
 80. 00 Set a post for the cor. of Sec. 26. 27. 34. & 35. from which  
 a Buck 11. in diam. bears S. 18. W. 23. links dist. La  
 Sh. 10. " " " N. 42. E. 34. " "  
 Land hilly. Soil rich. Timber. Oak. Ash. Hickory  
 Locust. Buck. Sugar. Le.

North Between Sec. 26. & 27. T. 10. N. R. 2. M.  
 40. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Sugar 14 in diam. bears S. 75. W. 25. links dist. La,  
 Buck 14. " " " North 9 " "  
 80. 00 Set a post for the cor. of Sec. 22. 23. 26. & 27. from which  
 a Buck 20 in diam. bears S. 49. E. 20. links dist. La,  
 Dogwood 4 " " " S. 85. W. 12 " "  
 Land hilly and muddling for farming. Soil  
 ash & Buck & Hickory. Hard W. g.



East Quakrandam line between Sur 23 & 26 I. 10 N R 27  
 18.50 Long Brook 20 links mid, leona N.E.  
 40.00 Set a temp. 7<sup>th</sup> supst.  
 70.50 Long Brook 30 links mid, leona N.E.  
 75.00 To a large Deer lick  
 80.45 Interscut the N.E. line 50 links North of the post on  
 of Sur. 23, 24 & 26.  
 Sande hilly and poor soil; Limbs lead, Beak,  
 Sticks, 8.

West On the line between Sur 23 & 26 I. 10 N R 27  
 40.22 1/2 Set the temp. 7<sup>th</sup> supst at the on ash on the line  
 from which, Sticks 7 in air: leona North of the ash;  
 under No. 12 " " " Sticks 12 " "  
 80.45 To the post on of Sur. 22, 23, 26 & 27.

Oct. 4. 1815

North Return Sur 22 & 23 I. 10 N R 27  
 33.00 Long Brook 25 links mid, leona E.  
 40.00 Set a 7<sup>th</sup> supst from which  
 Sugar 12 in air: leona. N 79 E. 10 links ash; 10  
 Beak 18 " " " S 35 W 37 " "  
 80.00 Set a post on the end of Sur. 14, 15, 22 & 23 from which,  
 17 Oak 15 in air: leona. S 73 E. 21 the ash; 10  
 Elm. 9 " " " N 60 W 21 " "  
 Sande hilly and poor soil Limbs mostly Beak,

East Quakrandam line between Sur 14 & 23 I. 10 N R 27  
 25.00 To a creek 150 links mid, lea N.  
 40.00 Set a temp. 7<sup>th</sup> supst.  
 79.86 Interscut the N.E. line 36 links North of the post  
 on of Sur 13, 14, 23 & 24 Sande low not bottom.  
 Limbs Beak, Black ash. V.

West On the line between Sur 14 & 23 I. 10 N R 27  
 39.93 Set the temp. 7<sup>th</sup> supst at the on ash on the line  
 from which, Elm. 3 in air: leona - 51 W 81 E, not  
 under Beak 6 " " " N 79 E 9 " "  
 79.86 To the post on of Sur. 14, 15, 22 & 23

South Quakrandam line between Sur 14 & 26 I. 10 N R 27  
 25.00 To a creek 150 links mid, lea N.  
 40.00 Set a temp. 7<sup>th</sup> supst.  
 79.84 Interscut the E.W. line 12 links, West of the post on  
 of Sur. 14, 15, 22 & 23 Sande the same.

North On the line between Sur 14 & 15 I. 10 N R 27  
 39.92 Set the temp. 7<sup>th</sup> supst at the on ash on the line  
 from which, Beak 7 in air: leona N 10 E 44 the ash  
 under No. 12 " " " S 60 W 33 the ash;  
 79.84 To the post on of Sur. 10, 11, 14 & 15.

East Return Sur 11 & 14 I. 10 N R 27  
 11.00 To a Brook 5 links mid, lea. S.  
 23.00 " " Small Brook, 50 the mid lea S.  
 40.00 Set a 7<sup>th</sup> supst from which,  
 Sticks 16 in air: leona. N 61 W 33 the ash; 10  
 No. 17 " " " S 71 E. 38 " "  
 80.00 Set a post on the end of Sur 11, 12, 13 & 14 from which,  
 Beak 16 in air: leona. N 57 W 57 the ash; 10  
 No. 18 " " " S 81 E. 17 " "  
 Sande same as last run.

North Return Sur 11 & 11 I. 10 N R 27  
 40.00 Set a 7<sup>th</sup> supst from which a Oct. 7. 1815.  
 Beak 12 in air: leona S 76 E. 15 the ash; 10  
 No. 16 " " " N 60 W 33 " "



## T. N. 10 N. R. N. 27 W. 2nd Mer. Ind.

73.16	Set out the old Indian DT and set apart for the en of sec. 10 NW from which W. 23 in diam. bears S 31 W. 14 to and to Buck 12 " " " N 18 E. 22 " " Land rolling soil rich, Timber Oak, Beech, Maple Sugar Poplar &c.
North	Between Sec 10 NW. T 10 N R 27 W
73.16	Original survey surveyed with the N.E. 1/4 of Harrison's Indian.
80.00	Set apart for the en of sec. 2, 3, 10 NW from which Buck 11 in diam. bears N 65 W 10 to east, 20, W. 33 " " " S 23 E 12 " " Land has made 2 <sup>nd</sup> rate, Timber Oak, Sugar, & NY Spruce.
West	Between Sec 2 NW. Quarter an am. line. T 10 N R 27 W
1764	To a Brook 40 links mds, Co. NW.
30.00	Sec. 10. 8 " " " "
40.00	Set a temp <sup>l</sup> post for the post.
79.92	Set out the NW 1/4 line. 24 links South of the post. En of sec. 2, 3, 10 NW Land Broken 2 <sup>nd</sup> & 3 <sup>rd</sup> rate: Timber Beech, Maple, Hick, Black, &c. NY Spruce, Passagum & Birch
East	On the true line between Sec 2 NW T 10 N R 27 W
25.05	To a Poplar 20 in diam. in the true line
39.98	Set the temp <sup>l</sup> post at the en of sec. in the true line from which Buck 15 in diam. bears N 29 W 10 to west, 3 8a Co. 16 " " " S 29 E 8 " "
34.22	To a Buck 12 in diam. in the true line.
79.92	Set the post en of sec. 1, 2, 11 NW
North	Between Sec 2 & 3. T 10 N R 27 W.

## T. N. 10 N. R. N. 27 W. 2nd Mer. Ind.

23.58	To a Sugar 17 in diam. in the line
40.00	Set a post for the en. of 1/4 Sec. from which a Buck 20 in diam. bears N 34 W 15 links dist. to No 28 " " " S 84 E 13 " "
66.27	To a Hickory 19 in diam. in the line
84.21	Intersect the S. Boundary 1.68 links East of the post en. of Sec. 34 & 35. T 11 N. R. 2. W. & set a post for the en. of Sec. 2 & 3. from which a Sugar 17 in diam. bears S 46 W 7 links dist. to Buck 18 " " " N 68 E 15 " " Land broken & 2 <sup>nd</sup> rate Timber. Sugar Ash. Beech &c. Undergrowth Spruce & Ash
South	Between Sec. 33 & 34. T 10 N. R. 2. W. Random
40.00	Set a temp <sup>l</sup> post for the en. of 1/4 Sec.
80.37	Intersect the C. & W. line 17 links West of the post en. of Sec. 33 & 34. Land rolling and good for farming. Timber same as last mile.
North	On the true line between Sec. 33 & 34. T 10 N. R. 2. W.
40.18	Set a temp <sup>l</sup> post at the aver. dist. on the true line for the en. of 1/4 Sec. from which a Sycamore 6 in diam. bears S 50 E 6 links dist. to Poplar 30 " " " N 74 W 4 " "
80.36	To the post en. of Sec. 27, 28, 33 & 34
East	On a Random line between Sec. 27 & 34. T 10 N. R. 2. W.
10.00	To a Brook 40 links mds, Co. NW.
40.00	Set a temp <sup>l</sup> post for the post
80.13	Set out the NW 1/4 line 10 links North of the post en. of sec. 26, 27, 34 & 35. Land rolling into rich grass for farming. Timber Buck, Sugar, Oak, &c.



T. N. 10 N. R. N. 2 W 2<sup>nd</sup> Mm. Ind.

West	On the line between Sec. 27, 134 T. 10 N. R. 2 W
4000	Set the trap for the first at the end of the line from which, Sugar, 9 in diam. bears N 38 W. 19 lbs. ash & a No 12 " " " N 58 E. 28 " "
80.13	Set the first cow of sec. 27, 28, 33, 134
South	Between Sec. 27 & 28. T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Sugar, 9 in diam. bears N 60 W. 16 lbs. ash; & a, Beck 24 " " " N 60 E. 13 " "
72.00	Set a trap for the first from which, Sugar, 9 in diam. bears N 62 W. 16 lbs. ash; & a, Beck 6 " " " N 66 E. 21 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears N 62 W. 16 lbs. ash; & a, Beck 6 " " " N 66 E. 21 " "
South	Between Sec. 27 & 28. T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Beck 9 in diam. bears S 59 W. 22 lbs. ash; & a, No 20 " " " N 27 W. 14 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears N 80 E. 15 lbs. ash; & a, No 8 " " " S 47 W. 40 " "
South	Between Sec. 27 & 28. T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Beck 9 in diam. bears S 59 W. 22 lbs. ash; & a, No 20 " " " N 27 W. 14 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears N 80 E. 15 lbs. ash; & a, No 8 " " " S 47 W. 40 " "
South	Between Sec. 27 & 28. T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Beck 9 in diam. bears S 59 W. 22 lbs. ash; & a, No 20 " " " N 27 W. 14 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears N 80 E. 15 lbs. ash; & a, No 8 " " " S 47 W. 40 " "

Oct. 5, 1815.

North	Between Sec. 21 & 22. T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 61 W. 18 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 61 W. 18 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "

T. N. 10 N. R. N. 2 W 2<sup>nd</sup> Mm. Ind.

East	On a Random line between Sec. 15 & 22 T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
East	On a Random line between Sec. 15 & 22 T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
East	On a Random line between Sec. 15 & 22 T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
East	On a Random line between Sec. 15 & 22 T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
East	On a Random line between Sec. 15 & 22 T. 10 N. R. 2 W
40.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "
80.00	Set a trap for the first from which, Sugar, 9 in diam. bears S 57 E. 16 lbs. ash; & a, Beck 24 " " " N 56 E. 25 " "



71.00	To a Buck 15 links wide. Course S. M.
80.00	Set a post for the cor. of Sec. 10 11. 14 & 15. From which a Buck 5 in diam. bears S. 55. M. 16 links dist. La Sec. 11. " " " N. 36. E. 10. " " Land Bottom: Soil rich; Timber Oak, Ash, Buck. &c.
North	Between Sec. 9 & 10. T. 10. N. R. 2. M.
2.00	To a Buck. links wide: Course M.
40.00	Set a trap for a suppost from which, Buck 11 in diam. bears S. 17 M. 18 the dist. 10, Do. 27. " " " N. 57 E. 19. "
80.00	Set a post for the cor. of sec. 3 & 4 9 10. From which, Buck 5 in diam. bears. N. 84 M. 3 links dist. 10, Oak 16 " " " N. 40 E. 13 " " Land hilly, under good soil: Timber Oak, Buck, Poplar, Ash, Hickory & Walnut.
East	Between Sec. 3 & 4 T. 10 N. R. 2 M.
40.00	Set a post suppost from which, B. 10 in diam. bears. S. 89 M. 20 the dist. 10, Buck 12 " " " N. 56 M. 20 " "
70.31	Intersect the N. Boundary of Harris' Purchase & set a post for the cor. of sec. 3 & 4 from which, Buck 6 in diam. bears. N. 61 E. 17 the dist. 10, Do. 15 " " " S. 88 M. 32 " " Land hilly Timber Buck, Sugar, Poplar, mudling good land for farming
West	On a Random line between Sec. 3 & 4 T. 10 N. R. 2 M.
10.27	To a Point 20 M. South of Old Boundary. Land land & 2 <sup>nd</sup> rate: Timber Buck, Ash, Sugar, W. Spruce
East	On a Random line between Sec. 3 & 4 T. 10 N. R. 2 M.
10.27	To the cor. of sec. 2 & 3 10 & 11.

North	Between Sec. 3 & 4 T. 10 N. R. 2 M.
40.00	Set a post suppost from which, Oak 17 in diam. bears. N. 67 M. 24 the dist. 10, Buck 16 " " " N. 31 E. 13 " "
51.44	Intersect the N. Boundary of Harris' Purchase & set a post for the cor. of sec. 3 & 4. From which, Sugar 18 in diam. bears. N. 65 M. 13 the dist. 10, Buck 19 " " " S. 39 E. 25 " " Land same as above written.
North	Between Sec. 3 & 4 T. 10 N. R. 2 M.
51.54	Original Survey - to N.E. 1/4 of N. P.
22.46	To a Oak 30 in diam. in the line.
35.00	Intersect the N. Boundary 148 links East of the post cor. of sec. 3 & 4 T. 10 N. R. 2 M. and set a post for the cor. of sec. 3 & 4 from which, Hick 10 in diam. bears. N. 68 E. 9 the dist. 10, Poplar 14 " " " S. 75 M. 12 " " Land broken & 2 <sup>nd</sup> rate: Timber Oak, Buck, Sugar, Hickory &c. W. Dogwood, Hickory, Ash, Spruce &c.
South	On a Random line between Sec. 3 & 4 T. 10 N. R. 2 M.
40.00	Set a trap for a suppost.
79.75	Intersect the South 137. 3 links East of the post cor. of sec. 3 & 4 T. 10 N. R. 2 M. Land same & mudling good for farming.
North	On the line between Sec. 3 & 4 T. 10 N. R. 2 M.
39.87	Set the trap for a suppost at the ar. dist. on the line from which, Buck 7 in diam. bears. N. 35 E. 18 the dist. under a 10. 6 " " " S. 34 M. 6 " "
79.75	To the post cor. of sec. 2 & 3 10 & 11.



West Between Sec. 28 & 33. T. 10 N R. 2 W. r. t. w.  
 32.00 To a Brook 10 links wide, bear N. W.  
 40.00 Set a 7th support from which,  
 Bear 12 in diam. bears N 88 E 26 links north & a,  
 Sec. 14 " " " N 80 W 32 " "  
 80.00 Set a post for the corner 28. 29. 32 & 33 from which,  
 Bear 12 in diam. bears N 57 E 8 links north; on,  
 Sec. 8 " " " S 56 W 12 " "  
 Land Brown Muddling good for farming  
 Timber same.

North Between Sec. 28 & 29. T. 10 N R. 2 W.  
 40.00 Set a 7th support from which,  
 Bear 12 in diam. bears N 62 E 15 links north; on,  
 Sec. 10 " " " N 34 W 15 " "  
 80.00 To a Brook 10 links wide, bear N. W.  
 80.00 Set a post for the corner 20. 21. 28 & 29 from which,  
 Bear 3 in diam. bears S 42 E 16 links north;  
 Sec. 12 " " " N 36 E 27 " "  
 Land rolling & good for farming; Timber  
 Bear, Sugar, Poplar, &c.

East On a Random line between Sec. 21 & 28 T. 10 N R. 2 W.  
 40.00 Set a temporary 7th support.  
 80.27 Intersect the N. W. line 93 links North of the post  
 corner of Sec. 21. 22, 27. 28, Land the same.

West On the True line between Sec. 21 & 28 T. 10 N R. 2 W.  
 40.13 Set the temporary 7th support at the same distance from  
 from which, Sugar 12 in diam. bears N 9 W 18 links  
 north; on N. W. 37 " " " S 25 W 27 " "  
 80.27 To the post corner of Sec. 20. 21. 28 & 29.

Compd

South On a Random line between Sec. 20 & 21. T. 10 N R. 2 W.  
 13. 50 To a Creek 1.00 link wide. Course N. W.  
 40. 00 Set a temporary post for the corner of 1/4 Sec.  
 70. 00 To a Brook 30 links wide, course N. E.  
 79. 64 Intersect the E. & W. line 47 links East of the post cor.  
 of Sec. 20. 21. 28. & 29.  
 Land rolling; Soil rich. Timber Oak. Ash. Hickory  
 Walnut. Buck. Limestone in abundance.

North On the true line between Sec. 20 & 21. T. 10 N R. 2 W.  
 39. 82 Set the temporary post at the same distance on the true line  
 for the corner of 1/4 Sec. from which a  
 Sugar 6 in diam. bears N 85 E 24 links dist. to  
 Sec. 15. " " " S 37 W 24 " "  
 74. 64 To the post corner of Sec. 16. 17. 20. & 21.

West Between Sec. 16 & 21. T. 10 N R. 2 W.  
 40. 00 Set a post for the corner of 1/4 Sec. from which a  
 Sugar 2 in diam. bears N 48 E 9 links dist. to  
 Plum. 3 " " " S 82 W 8 " "  
 80. 00 Set a post for the corner of Sec. 16. 17. 20 & 21. from which  
 a Hickory 8 in diam. bears S 55 E 26 links dist. to  
 Sapling 3 " " " S 59 W 23 " "  
 Land rolling; Soil rich; Timber Walnut. Ash  
 Buck. Poplar & Sugar.

South On a Random line between Sec. 16 & 17. T. 10 N R. 2 W.  
 32. 00 To a Brook 60 links wide; course N. E.  
 40. 00 Set a temporary post for the corner of 1/4 Sec.  
 81. 28 Intersect the E. & W. line 21 links NW of the post corner  
 of Sec. 16. 17. 20. & 21. Land broken & hilly.

North On the true line between Sec. 16 & 17. T. 10 N R. 2 W.



- 40.64 Set the temp. post for the cor. of 4<sup>th</sup> Sec. at the aver. dist. on the true line from which a  
 Hickory 8 in diam. bears S. 80. E. 4. links dist. 2<sup>nd</sup>  
 Sec. 12. " " " S. 14. E. 7. " "
- 81.28 To the post cor. of Sec. 8. 9. 16. & 17.

- East On a Random line between Sec. 9 & 16. T. 10 N. R. 27 W.  
 27.00 To a creek 60 links mid. Sec. NW.  
 100.00 Set a temp. post.  
 53.50 To a creek 100 links mid. Sec. N.  
 70.00 " " Sec. 100 " " " S. W.  
 81.86 Intercept the N. 85 line 121 links North of the post cor. of sec. 9. 10. 16 & 17.  
 Lands hilly ends some grass break bottom.

- West On the true line between Sec 9 & 16. T. 10 N. R. 27 W.  
 40.73 Set the temp. post at the arc dist. on the true line from which, Bunk 14 in diam. bears East. 4 Ws dist. and a  
 Sec. 12 " " " S. 17 N. 39 " "  
 81.86 To the cor. of sec. 8. 9. 16. & 17.

- North Between Sec 8 & 9 T. 10 N. R. 27 W.  
 40.00 Set a temp. post from which,  
 Bunk 12 in diam. bears S. 24 W. 13 links dist. &  
 Sec. 18 " " " S. 25 W. 9 " "  
 65.00 To a creek 150 links mid. Sec. NW.  
 80.00 Set a post for the cor. of sec. 4. 5. 8 & 9 from which,  
 Bunk 7 in diam. bears S. 49 W. 16 Ws dist. &  
 Bunk 12 " " " S. 21 E. 37 " "  
 Lands hilly and some bottom, muddling good for farming.

- East On a Random line between Sec 4 & 9 T. 10 N. R. 27 W.

- 20.00 To a creek 100 links mid. Sec. NW.  
 25.00 " " Sec. 100 " " " S. W.  
 40.00 Set a temp. post.  
 45.00 To a Brook 8 links mid. Sec. S.  
 80.82 Intercept the N. 85 line 215 links North of the post cor. of sec. 3. 4. 9 & 10.  
 Lands most for good for farming; East for very hilly

- West On the true line between Sec 4 & 9. T. 10 N. R. 27 W.  
 40.41 Set the temp. post at the arc dist. on the true line from which, Bunk 12 in diam. bears N. 86 W. 9 Ws dist. and a  
 Sec. 10 " " " N. 80 E. 15 " "  
 80.82 To the post cor. of sec. 4. 5. 8 & 9.

- North Between Sec 4 & 9 T. 10 N. R. 27 W.  
 40.00 Set a temp. post from which,  
 Bunk 10 in diam. bears N. 44 E. 25 Ws dist. &  
 Bunk 30 " " " S. 26 E. 6 " "  
 80.30 Intercept the N. 80 line 243 links West of the post cor. of sec. 3 & 13. T. 11 N. R. 27 W. and a  
 " " " " 2015. from which,  
 Bunk 14 in diam. bears S. 34 E. 26 Ws dist. &  
 Bunk 12 " " " S. 57 E. 24 " "  
 Lands good for farming.

- East On a Random line between Sec 31 & 32 T. 10 N. R. 27 W.  
 40.00 Set a temp. post.  
 70.00 To a small Spring branch, Sec. NW.  
 79.96 Intercept the South Boundary 52 links West of the post cor. of sec. 31 & 32  
 Land Bunk lands and not very good.

- North On the true line between Sec 31 & 32 T. 10 N. R. 27 W.



39.98 Set the trap for report at the car track on the line  
from which, Bush 8 in dist. from. S43 E. 18 W. dist.  
and w. Ho. 10, , , N35 E. 21, ,  
79.96 To the car track 29.30.31 1832

East On a random line between Dec. 29 1832. 7.10 AM  
40.00 Set a trap for report.  
79.96 Enter cut the N.B. line 36 miles North of the first car  
of Dec. 28. 29.33 1833. Same and timber same.

West On the same line between Dec 29 1832. 7.10 AM  
39.98 Set the trap for report at the car track on the line  
from which, Bush 14 in dist. from. N62 E. 15 W. dist.  
and w. N. Ash. 30, , , S E. 20, ,  
79.96 To the post on of Dec. 29.30.31 1832

West Return Dec 30 1831. 7.10 AM  
40.00 Set a trap for report from which,  
Bush 14 in dist. from. N35 E. 23 W. dist. from,  
N. Bush 7, , , Ho. 116, , ,  
71.43 Enter cut the West Boundary 38 miles North of  
the post on of Dec. 25 1836. 7.10 AM. 3 W. and set a  
post for the car track 30 1831 from which,  
Bush. 9 in dist. from. S65 E. 32 W. dist.  
and w. Doll, , , N16 W. — " ,  
Same but Timber Bush,

South Return Dec 30 1832. 7.10 AM  
40.00 Set a trap for report from which,  
Bush 30 in dist. from. N64 W. 19 W. dist. from,  
Ho. 30, , , S E. 17, , ,  
80.00 Set a post for the car track 29.30.31 1832 from which,  
Bush. 6 in dist. from. S41 E. 18 W. dist. from,

N. Ash. 14 in dist. from. S35 W. 11 W. dist.  
Same same. set a post.

West Return Dec 21 1829. 7.10 AM  
40.00 Set a trap for report from which,  
Bush. 9 in dist. from. N56 W. 16 W. dist. from,  
Sugar. 6, , , S46 E. 14, , ,  
80.00 Set a post for the car track 19.20 29 1831 from which  
a Bush 12 in dist. from. N75 E. 13 W. dist.  
from, N. Ash. 14, , , S20 W. 9, , ,  
Same & timber same as last mile. Good land  
for farming

West Return Dec 19 1830. 7.10 AM  
40.00 Set a trap for report from which,  
Bush 11 in dist. from. N29 W. 23 W. dist. from,  
Ho. 14, , , S82 E. 28, , ,  
72.00 Enter cut the N.B. line 51 miles North of the post.  
Car track 24 1835. 7.10 AM. 3 W. & set a post  
" " " 49 1830. from which,  
Sugar. 14 in dist. from. N40 E. 13 W. dist. from,  
Ho. 18, , , S4 E. 15, , ,  
Same rolling & good for farming. Same good  
2<sup>nd</sup> rate, Timber Bush, Sugar, Poplar, ash,

North Return Dec 19 1830. 7.10 AM  
24.00 To a spring Ho. N.W.  
40.00 Set a trap for report from which,  
Bush. 14 in dist. from. S60 W. 20 W. dist. from,  
Ho. 75, , , S89 E. 43, , ,  
80.00 Set a post for the car track 17.18.19 1832 from which,  
Bush 10 in dist. from. S45 E. 12 W. dist. from,  
Ho. 10, , , N72 W. 31, , ,



I N<sup>o</sup> 10 NR N<sup>o</sup> 27 2<sup>nd</sup> Mr. Snd.

Under the same.

East	Qua Run am line between Jan 17 & 20 I 10 NR N <sup>o</sup>
40.00	Set a trap for Inupat.
70.00	To a creek. 50 miles m. Co. N.
81.09	Inter cut the NPS line 95 miles North of the post on of ew. 16. 17. 20 & 31. Land rather Broken. Timber same. midday good farming land
West	Qua Run line between Jan 17 & 20 I 10 NR N <sup>o</sup>
40.54	Set the trap for Inupat at the on creek on the line from white.
	Beck 12 in dist. from. N 83 W. 21 the creek; to
	Lo. 12 " " " S 46 E. 25 " "
81.09	To the post on of ew. 17. 18. 19 & 20.
West	Return Jan 1879. I 10 NR N <sup>o</sup> 27.
17.00	Loa Brook 12 miles m. Co. N.
22.00	" " Lo. 10 " " " N E.
40.00	Set a trap for Inupat from white.
	Beck 13 in dist. from. N 13 W. 12 the creek; to
	Lo. 4 " " " S 30 E. 8 " "
72.90	Inter cut the West (Round) 85 miles North of the post on of ew. 13 & 24 I 10 NR N <sup>o</sup> 27. and set a post " " " 18 & 19 from white.
	Sugar. 13 in dist. from. N 42 E. 11 the creek; to
	Beck 6 " " " S 33 E. 5 " "
	Land rolling & timber same. Good land for farming good 2 <sup>nd</sup> rate.
North	Return Jan. 17. 78 I 10 NR N <sup>o</sup> 27
12.00	Loa Brook 12 miles m. Co. N
30.00	" " Lo. 12 " " " N E.

I N<sup>o</sup> 10 NR N<sup>o</sup> 27 2<sup>nd</sup> Mr. Snd.

40.00	Set a trap for Inupat from white.
	Beck 7 in dist. from. N 10 E. 18 the creek; to
	Immort 3 " " " N 70 E. 13 " "
80.00	Set a post for the on of ew. 7. 8. 17. 18 from white.
	Sugar 10 in dist. from. S 28 W. 12 the creek; to
	Beck. 14 " " " N 30 E. 45 " "
	Land broken good soil. Timber same.
East	Between Jan 8 & 17 I 10 NR N <sup>o</sup> 27.
26.00	Loa Brook 20 miles m. Co. N.
34.00	" " Lo. 6 " " " N W
40.00	Set a trap for Inupat from white.
	Beck 12 in dist. from. N 61 W. 15 the creek; to
	Lo. 12 " " " S 43 E. 19 " "
80.00	Set a post for the on of ew. 8. 9. 16 & 17 from white.
	Beck 14 in dist. from. South 20 the creek; to
	Lo. 14 " " " N 19 E. 2 " "
	Land broken with sink holes Timber same.
West	Between Jan 7 & 18 I 10 NR N <sup>o</sup> 27.
40.00	Set a trap for Inupat from white.
	Beck. 9 in dist. from. N 45 W. 18 the creek; to
	Stick 10 " " " N 80 E. 18 " "
73.58	Inter cut the West (B) 50 miles North of the post on of ew. 7 & 13. from white. I 10 NR N <sup>o</sup> 37 and set a post for the on of ew. 7 & 18 from white.
	Beck 18 in dist. from. N 17 W. 34 the creek; to
	Poplar. 30 " " " N 64 E. 20 " "
North	Return Jan 7 & 18 I 10 NR N <sup>o</sup> 27. Inupat.
40.00	Set the trap for Inupat at the on creek on the line from white a by canoe 30 in dist. from. N 60 W. 23 the creek; to
	Set a trap 6 in dist. from. N 33 E. 30 the creek







T. N. 10 N. R. 1. 2nd 2nd Mer. Ind.

S31 N 8.37  
 S59 N 5.55  
 S71 N 13.20  
 S74 N 7.81  
 S2 N 4.77  
 S16 N 7.47 To alternate 100 links meter.  
 S30 N 2.00  
 S47 N 6.93  
 S71 N 4.96 In sec. 5.  
 S45 N 15.38  
 S43 N 3.68  
 S16 N 3.26  
 S47 N 5.00  
 S80 N 10.00 To the end of sec. 5 to T. 10 N. 2nd

Meanders of the Right Bank of White River  
 commencing in the NW corner of sec. 5. T. 10 N. 2nd  
 Run down stream in sec. 5.

S18 E. 5.98  
 S34 N 4.61  
 S63 N 2.19  
 S49 N 6.43  
 S44 N 6.34  
 S49 N 7.83 In sec. 5.  
 S34 N 6.30  
 S16 N 12.00  
 S69 N 11.23  
 S87 N 3.55  
 S67 N 3.47  
 S53 N 11.50  
 South 0.76 To the line between sec. 5 to T. 10 N. 2nd  
 S72 N 7.31

T. N. 10 N. R. 1. 2nd 2nd Mer. Ind.

N60 N 3.47  
 N49 N 3.77  
 N71 N 4.96  
 N76 N 13.45  
 N56 N 18.85  
 N46 N 8.73  
 N73 N 9.34  
 N87 N 4.45

In sec. 6.

S82 N 10.00 To the Township line N. 13th of sec. 6.

The part of the Township in Harrison's Purchase  
 Surveyed by William Harris

Deputy Surveyor

The part of Harrison's Purchase was

Surveyed by John Brown  
 Deputy Surveyor

I certify that the foregoing Transcript of the field  
 notes of Township N. 10 North of Range 5 N. 2nd West  
 of the 2nd Principal Meridian has been com-  
 pared with the Original notes in this Office &  
 found to be correct.

Surveyor General's Office  
 Cincinnati, Mo. 1841

Surveyor General.



T. N. 10 N. R. 1. 2nd 2nd Tm. Ind.

S31 N 8.37  
 S59 N 5.55  
 S71 N 13.20  
 S17 N 7.81  
 S2 N 4.77  
 S16 N 7.47 To all out 100 huts m. m.  
 S30 N 2.00  
 S47 N 6.93  
 S71 N 4.96 In cu. 5.  
 S45 N 15.38  
 S43 N 3.68  
 S16 N 3.46  
 S47 N 5.00  
 S80 N 10.00 To the end of Sec. 5 & 6. T. 10 N. 2nd

Meanders of the Right Bank of White River  
 commencing in the N. 10th of Sec. 5. T. 10 N. 2nd  
 down stream in cu. 5.

S18 E. 5.98  
 S34 N 4.61  
 S63 N 2.19  
 S49 N 6.43  
 S74 N 6.34  
 S49 N 7.83 In cu. 5.  
 S34 N 6.30  
 S16 N 12.00  
 S69 N 11.23  
 S87 N 3.55  
 S67 N 3.47  
 S53 N 11.50  
 South 0.76 To the end between Sec. 5 & 6. T. 10 N. 2nd  
 S72 N 7.31

T. N. 10 N. R. 1. 2nd 2nd Tm. Ind.

N60 N 3.47  
 N49 N 3.77  
 N71 N 4.96  
 N76 N 13.45  
 N56 N 18.85  
 N46 N 8.73  
 N73 N 9.34  
 N87 N 4.45  
 S82 N 10.00

In cu. 6.

To the Township line N. 13th of Sec. 6.  
 The part of this Township in Harrison's Purchase  
 Surveyed by William Harris  
 Dep't Sur.  
 The part N. of Harrison's Purchase was  
 Surveyed by John Brown  
 Dep't Sur.

I certify that the foregoing transcripts of the field  
 notes of Township N. 10th of Range 6 N. 2nd West  
 of the 2nd Principal Meridian has been com-  
 pared with the Original notes in this Office &  
 found to be correct.  
 Surveyor General's Office  
 Vincennes, Ind. 1841

Sur. General.